Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51	(user client personal) near5 (config setting configuration) with (modify\$3 modification) near5 (prevent\$3 lock)	US-PGPUB; USPAT	OR	ON	2007/11/14 09:30
L2	10	1 and ("709" "710").clas.	US-PGPUB; USPAT	OR	ON	2007/11/14 09:29
L3	5	2 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 09:35
L4	3965	(device user client personal) with (config setting configuration) with (modify\$3 modification chang\$3) with (prevent lock block stop avoid limit)	US-PGPUB; USPAT	OR	ON	2007/11/14 09:36
L5	983	4 and "70"\$.clas.	US-PGPUB; USPAT	OR	ON ·	2007/11/14 09:34
L6	547	5 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 09:35
L7	514	5 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 13:10
L8	316097	(config setting configuration) with (time duration period)	US-PGPUB; USPAT	OR	ON	2007/11/14 09:36
L9	288	7 and 8	US-PGPUB; USPAT	OR	ON	2007/11/14 09:37
L10	6867	(printer near6 manag\$5)	US-PGPUB; USPAT	OR	ON	2007/11/14 09:37
L11	0	9 and 10	US-PGPUB; USPAT	OR	ON	2007/11/14 09:37
L12	83	9 and printer	US-PGPUB; USPAT	OR	ON	2007/11/14 09:41
L13	9714	printer same (policy config setting configuration) same (time duration period)	US-PGPUB; USPAT	OR	ON	2007/11/14 09:42
L14	3164	(user personal) same printer same (policy config setting configuration) same (time duration period)	US-PGPUB; USPAT	OR	ON	2007/11/14 09:42
L15	1583	14 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 10:00
L17	191	15 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/14 10:00
L18	46	printer.ab. and 17	US-PGPUB; USPAT	OR	ON	2007/11/14 10:20
L19	1	("20030084086").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/14 11:59

					,
9	banner with print near5 option	US-PGPUB; USPAT	OR	ON	2007/11/14 13:10
8	20 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 15:56
174	default same tray same sheet	US-PGPUB; USPAT	OR	ON	2007/11/14 13:11
1	21 and 22	US-PGPUB; USPAT	OR	ON	2007/11/14 15:55
78	customized status message	US-PGPUB; USPAT	WITH	ON	2007/11/14 16:05
38	24 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 16:06
503	(customized message) and instant adj messag\$3	US-PGPUB; USPAT	WITH	ON	2007/11/14 16:05
281	(customized near4 message) and instant adj messag\$3	US-PGPUB; USPAT	WITH	ON	2007/11/14 16:09
89	27 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 16:09
1	busy same (customiz\$3) and 28	US-PGPUB; USPAT	OR	ON	2007/11/14 16:08
116	(customized near4 text near3 message)	US-PGPUB; USPAT	WITH	ON	2007/11/14 16:13
46	30 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 16:13
24	31 and monitor\$3	US-PGPUB; USPAT	OR	ON	2007/11/14 16:09
5	(customized near4 text near3 message with reply\$3)	US-PGPUB; USPAT	WITH	ON	2007/11/14 16:14
1	33 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 16:14
3	(customized near5 (text message) with default)	US-PGPUB; USPAT	WITH	ON	2007/11/14 16:15
2	35 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 16:15
71	(customized near5 (text message) with default)	US-PGPUB; USPAT	OR	ON	2007/11/14 16:15
35	37 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 16:15
215	(printer near3 manag\$5).ab.	US-PGPUB; USPAT	OR	ON	2007/11/14 09:37
137	S1 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/14 09:29
22711	709/220,221,222,223,224,227,228, 229.ccls.	US-PGPUB; USPAT	OR	ON	2007/11/13 10:57
	8 174 1 78 38 503 281 89 1 116 46 24 5 1 3 2 71 35 215 137	8 20 and (@ad)<"20021125" 174 default same tray same sheet 1 21 and 22 78 customized status message 38 24 and (@ad)<"20021125" 503 (customized message) and instant adj messag\$3 281 (customized near4 message) and instant adj messag\$3 89 27 and (@ad)<"20021125" 1 busy same (customiz\$3) and 28 116 (customized near4 text near3 message) 46 30 and (@ad)<"20021125" 24 31 and monitor\$3 5 (customized near4 text near3 message with reply\$3) 1 33 and (@ad)<"20021125" 3 (customized near5 (text message) with default) 2 35 and (@ad)<"20021125" 71 (customized near5 (text message) with default) 35 and (@ad)<"20021125" 71 (customized near5 (text message) with default) 37 and (@ad)<"20021125" 215 (printer near3 manag\$5).ab. S1 and (@ad @prad)<"20021125"	8 20 and (@ad)<"20021125" US-PGPUB; USPAT 174 default same tray same sheet US-PGPUB; USPAT 1 21 and 22 US-PGPUB; USPAT 78 customized status message US-PGPUB; USPAT 38 24 and (@ad)<"20021125" US-PGPUB; USPAT 503 (customized message) and instant adj messag\$3 US-PGPUB; USPAT 281 (customized near4 message) and instant adj messag\$3 US-PGPUB; USPAT 1 busy same (customiz\$3) and 28 US-PGPUB; USPAT 1 busy same (customiz\$3) and 28 US-PGPUB; USPAT 1 busy same (customiz\$3) and 28 US-PGPUB; USPAT 1 (customized near4 text near3 message) 46 30 and (@ad)<"20021125" US-PGPUB; USPAT 24 31 and monitor\$3 US-PGPUB; USPAT 5 (customized near4 text near3 message with reply\$3) US-PGPUB; USPAT 3 (customized near4 text near3 message with reply\$3) US-PGPUB; USPAT 1 (customized near5 (text message) with default) US-PGPUB; USPAT 2 35 and (@ad)<"20021125" US-PGPUB; USPAT 1 (customized near5 (text message) with default) US-PGPUB; USPAT 2 (customized near5 (text message) WS-PGPUB; USPAT 1 (customized near5 (text message) WS-PGPUB; USPAT 2 (Customized near5 (text message) WS-PGPUB; USPAT 3 (Customized near5 (text message) WS-PGPUB; USPAT 1 (Customized near5 (text message) WS-PGPUB; USPAT 2 (S-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGTUB; US-PGPUB; US-PGPUB; US-PGTUB; US-PGPUB; US-PGTUB; US-PGPUB; US-PGTUB; US-PGPUB; US-PGTUB; US-PGPUB; US-PGPUB	USPAT US-PGPUB; US-PGPUB; USPAT US-PGPUB; US	8 20 and (@ad)<"20021125" US-PGPUB; US-PGPUB; OR ON USPAT 174 default same tray same sheet US-PGPUB; OR ON USPAT 1 21 and 22 US-PGPUB; OR ON USPAT 78 customized status message US-PGPUB; WITH ON USPAT 38 24 and (@ad)<"20021125" US-PGPUB; OR ON USPAT 503 (customized message) and instant adj messag\$3 281 (customized near4 message) and US-PGPUB; WITH ON USPAT 1 busy same (customiz\$3) and 28 US-PGPUB; OR ON USPAT 1 busy same (customiz\$3) and 28 US-PGPUB; OR ON USPAT 1 busy same (customiz\$3) and 28 US-PGPUB; OR ON USPAT 16 (customized near4 text near3 US-PGPUB; OR ON USPAT 17 (customized near4 text near3 US-PGPUB; OR ON USPAT 24 31 and monitor\$3 US-PGPUB; OR ON USPAT 25 (customized near4 text near3 US-PGPUB; OR ON USPAT 26 (customized near4 text near3 US-PGPUB; OR ON USPAT 27 (customized near5 (text message) US-PGPUB; WITH ON USPAT 28 (customized near5 (text message) US-PGPUB; WITH ON USPAT 29 (customized near5 (text message) US-PGPUB; WITH ON USPAT 10 (customized near5 (text message) US-PGPUB; OR ON USPAT 11 (customized near5 (text message) US-PGPUB; OR ON USPAT 12 (customized near5 (text message) US-PGPUB; OR ON USPAT 13 (customized near5 (text message) US-PGPUB; OR ON USPAT 21 (customized near5 (text message) US-PGPUB; OR ON USPAT 22 (customized near5 (text message) US-PGPUB; OR ON USPAT 23 (customized near5 (text message) US-PGPUB; OR ON USPAT 24 (customized near5 (text message) US-PGPUB; OR ON USPAT 25 (customized near5 (text message) US-PGPUB; OR ON USPAT 26 (customized near5 (text message) US-PGPUB; OR ON USPAT 27 (customized near5 (text message) US-PGPUB; OR ON USPAT 28 (customized near5 (text message) US-PGPUB; OR ON USPAT 29 (customized near5 (text message) US-PGPUB; OR ON USPAT 21 (customized near5 (text message) US-PGPUB; OR ON USPAT 22 (customized near5 (text message) US-PGPUB; OR ON USPAT 22 (customized near5 (text message) US-PGPUB; OR ON USPAT 22 (customized near5 (text message) US-PGPUB; OR ON USPAT 22 (customized near5 (text message) US-PGPUB; OR ON USPAT 22 (cust

				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
S4	21	S2 and S3	US-PGPUB; USPAT	OR	ON	2007/11/13 10:57
S5	125	S1 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 11:12
S6	16	S4 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 11:46
S7	153	printer monitor\$3 (period time)	US-PGPUB; USPAT	WITH	ON	2007/11/13 11:46
S8	107	S7 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 13:11
S9	18	S8 and "709" clas.	US-PGPUB; USPAT	OR	ON	2007/11/13 13:10
S10	1487	printer near5 (setting config configuration reference) with (period time duration)	US-PGPUB; USPAT	OR	ON	2007/11/13 13:37
S11	860	S10 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 13:26
S12	28104	printer near5 (monitor\$3 manag\$5)	US-PGPUB; USPAT	OR	ON	2007/11/13 13:11
S13	274	S11 and S12	US-PGPUB; USPAT	OR	ON	2007/11/13 13:11
S14	34	S13 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/13 13:26
S15	159	printer near5 (setting config configuration reference) with (period time duration) with (modification modify\$3 chang\$3)	US-PGPUB; USPAT	OR	ON	2007/11/13 14:30
S16	84	S15 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 13:38
S17	9	S16 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/13 13:26
S18	23	printer near5 (setting config configuration reference) with (time\$out time near out)	US-PGPUB; USPAT	OR	ON	2007/11/13 13:38
S19	11	S18 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 14:31
S20	0	(wo01/73558.ptpn.).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/13 13:46
S21	1	wo01/73558.ptpn.	US-PGPUB; USPAT	OR	ON	2007/11/13 13:49
S22	1	("20020161740").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/13 13:49
S23	1	("20020161740").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/13 14:17

					·	
S24	1	S15 and S23	US-PGPUB; USPAT	OR	ON	2007/11/13 14:30
S25	24	printer near5 (setting config configuration reference) with (period time duration) same (prevent\$3 lock\$3) same (modification modify\$3 chang\$3)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:24
S26	15	S25 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 15:22
S27	1	("5,194,895").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/13 15:19
S28	27	printer near5 (setting config configuration) same (period time duration) same (prevent\$3 lock\$3) same (modification modify\$3 chang\$3)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:22
S29	15	S28 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 15:25
S30	4	S29 not S25	US-PGPUB; USPAT	OR	ON	2007/11/13 15:22
S31	2946	printer near5 (setting config configuration reference) same (modification modify\$3 chang\$3)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:25
S32	1703	printer near5 (setting config configuration reference) with (modification modify\$3 chang\$3)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:31
S33	897	S32 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 15:48
S34	75	(time\$out time adj out) and S33	US-PGPUB; USPAT	OR	ON	2007/11/13 15:48
S35	85	printer (time user policy)	US-PGPUB; USPAT	SAME	ON	2007/11/13 15:48
S36	46	S35 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 15:51
S37	89	printer same user with (monitor\$3 near3 (period time))	US-PGPUB; USPAT	OR	ON	2007/11/13 15:53
S38	47	S37 and (@ad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 15:51
S39	3148	printer near5 (configuration setting) same (period time)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:54
S40	1145	printer near5 (configuration setting) with (period time)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:55
S41	16	printer near5 (configuration setting) with (time\$out time adj out)	US-PGPUB; USPAT	OR	ON	2007/11/13 15:56
S42	6	S41 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:01

S43	112377	(setting configuration) near3 (time duration)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:00
S44	733	printer with (setting configuration) near3 (time duration)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:01
S45	502	S44 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:02
S46	1	printer with (setting configuration) near3 (time duration) near4 protect\$3	US-PGPUB; USPAT	OR	ON	2007/11/13 16:02
S47	9	printer with (setting configuration) near3 (time duration) same protect\$3	US-PGPUB; USPAT	OR	ON	2007/11/13 16:06
S48	5	S47 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:06
S49	12	printer same (setting configuration) near3 (time duration period) same protect\$3	US-PGPUB; USPAT	OR	ON	2007/11/13 16:06
S50	7	S49 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:18
S51	2	S50 not S48	US-PGPUB; USPAT	OR	ON	2007/11/13 16:07
S52	22	request near3 (chang\$3 modify\$3 modification) with (reject\$3 deny\$3 declin\$3) same (period time duration) same (setting config configuration)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:38
S53	11	S52 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:33
S54	888	(setting config configuration) near5 effective near5 (period duration time)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:32
S55	309331	printer (setting config configuration) near5 effective near5 (period duration time)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:33
S56	8	printer same (setting config configuration) near5 effective near5 (period duration time)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:33
S57	5	S56 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:38
S58	873	request near6 (chang\$3 modify\$3 modification) with (reject\$3 deny\$3 declin\$3)	US-PGPUB; USPAT	OR	ON	2007/11/13 16:38
S59	3	S54 and S58	US-PGPUB; USPAT	OR	ON	2007/11/13 16:38
S60	0	S59 and (@ad @prad)<"20021125"	US-PGPUB; USPAT	OR	ON	2007/11/13 16:38